

EVOLUTION AND APPLICATIONS OF RADIOPHARMACEUTICALS IN NUCLEAR DENTISTRY: A COMPREHENSIVE OVERVIEW

**Alina Stefanache^{1#}, Cozmin Mihai^{2#}, Ionut Iulian Lungu^{1#*}, Gabriela Calin^{2#*},
Cristian Mihalache^{2#}, Deleu Grigorii^{2#}, Budirinca Maria Alexandra^{2#}, Catalina
Girbia^{2#}, Oana Cucoveica^{2#}, Carmen Stadoleanu^{2#}, Norin Forna^{1#}, Carmen Grierosu^{2#}**

1. "Grigore T. Popa" University of Medicine and Pharmacy Iasi, 16 Universitatii Str., 700115, Iasi, Romania;

2. "Apollonia" University of Iasi, Faculty of Dental Medicine, 11 Pacurari Str., 700511, Iasi, Romania;

Corresponding author*: m_gabriela2004@yahoo.com

e-mail: ionut_lungu95@yahoo.com

ALL AUTHORS HAVE EQUAL CONTRIBUTIONS AS THE FIRST AUTHOR

ABSTRACT

Aim of the Study: Radiopharmaceuticals in nuclear dentistry represent a dynamic field, contributing significantly to the evolution of restorative dentistry. This comprehensive overview focuses on the advancements and applications of these radiopharmaceuticals, aiming to elucidate their role in modern dental practices. Nuclear Medicine (NM) imaging has emerged as a crucial tool for early disease diagnosis in recent decades, complementing conventional imaging modalities in the head and neck region. While conventional techniques like radiographs, Cone Beam Computed Tomography (CBCT), and Computed Tomography (CT) are commonly used, NM is specifically employed for certain oral and maxillofacial pathologies. Utilizing radioactive isotopes emitting gamma (γ) rays, NM provides detailed insights into tissue metabolism and physiological processes, offering precise functional and biochemical information for accurate diagnosis. Despite not being a routine practice in dentistry, dental professionals should be acquainted with NM's various applications in the oral and maxillofacial region, as highlighted in this review.

Material and Methods: Extensive research was conducted through systematic searches on electronic databases, including PubMed, Google Scholar, and Web of Science. The search targeted articles released from April onwards, with an exclusive focus on English-language publications. A comprehensive set of keywords, such as "radiopharmaceuticals in nuclear dentistry," "evolution," "applications," "advancements," "biocompatibility," "imaging techniques," "clinical outcomes," and "dental radiology," were employed to gather relevant information.

Results: The exploration of radiopharmaceuticals in nuclear dentistry reveals their transformative potential as innovative tools in contemporary dental care. A comprehensive analysis of their evolution, applications, and advancements underscores their diverse benefits for both dental practitioners and patients.

Conclusions: Continued research and development efforts are anticipated to further solidify the pivotal role of radiopharmaceuticals in nuclear dentistry. With their expanding applications and ongoing enhancements, these agents are poised to remain integral components in advancing dental care, offering substantial benefits to both practitioners and patients within the realm of dental radiology and treatments. In conclusion, Nuclear Medicine imaging emerges as a powerful adjunct in dentistry, offering unique insights into functional and biochemical aspects for precise oral and maxillofacial diagnoses. While not a daily practice, awareness of its applications is crucial for dental professionals to enhance their diagnostic capabilities and contribute to comprehensive patient care.

Key words: Radiopharmaceuticals, Nuclear Dentistry, Evolution, Applications

INTRODUCTION

Nuclear Medicine (NM) stands as a specialized imaging field, employing radionuclides and their radioactive decay (figure 1.) to aid in the diagnosis and treatment of diseases. Recognized as an autonomous imaging modality by the World Health Organization (WHO), NM encompasses various applications of radioactive materials in medical diagnosis, treatment, and research [1, 2].


In the broader medical landscape, NM, including Positron Emission Tomography (PET) and Single Photon Emission Computed Tomography (SPECT), has become a cutting-edge specialization with vast potential for providing diagnostic and treatment information. Despite its applicability in dentistry, there exists a notable lack of awareness among dental practitioners regarding the fundamental uses of NM, particularly in the context of head and neck pathologies [3].

NM involves the injection of radioisotopes, followed by specialized gamma camera imaging to capture the distribution and quantification of these radioisotopes, operating on the principle of metabolic activity. This underutilization in dentistry emphasizes the need for increased awareness among dental professionals regarding the diagnostic features of NM in the oral and maxillofacial region [4].

One notable nuclear imaging technique, scintigraphy, produces two-dimensional images by capturing radiation emitted from an organ injected with a radioisotope, finding significance in bone and salivary gland imaging. Another advanced technique, Positron Emission Tomography (PET), employs radioisotopes emitting positrons for biological and metabolic studies, with ^{18}F -fluorodeoxyglucose (^{18}F -FDG) being commonly used. PET has gained substantial importance in diagnosing and

prognosticating head and neck malignancies, showcasing its potential for advanced imaging applications in the health sciences [5, 6].

Figure 1. Radioactive decay and the formation of radioisotopes



MATERIAL AND METHODS

LITERATURE SELECTION

Literature Selection: A comprehensive exploration of scientific databases (e.g., PubMed, Scopus, Web of Science) was undertaken to identify pertinent articles and reviews related to the evolution and applications of radiopharmaceuticals in nuclear dentistry. Keywords employed in the search encompassed terms such as "radiopharmaceuticals in dentistry," "nuclear medicine imaging in dentistry," and "applications of radiopharmaceuticals in oral and maxillofacial regions." Inclusion criteria comprised articles published in peer-reviewed journals, written in English, and focusing on the various aspects of radiopharmaceutical use in dental applications.

Data Extraction: Relevant data extracted from the selected articles were organized based on key aspects, including the types of radiopharmaceuticals used, imaging techniques, diagnostic applications, and advancements in nuclear dentistry. The extraction process included categorizing

information related to radiopharmaceutical properties, imaging modalities, clinical applications, and emerging trends.

Data Analysis: Synthesis and analysis of the extracted data were performed to provide a comprehensive overview of the evolution and applications of radiopharmaceuticals in nuclear dentistry. Key findings, trends, and advancements were identified and discussed within the review. Attention was given to identifying gaps in current knowledge and areas requiring further research within the field.

Writing the Review: The review paper was structured based on the synthesized analysis of the extracted data. Sections such as Introduction, Materials and Methods, Results, Discussion, and Conclusion were crafted to present a cohesive narrative on the evolution and applications of radiopharmaceuticals in nuclear dentistry. Citations and references were incorporated to support the findings and statements presented in the review.

Review and Revision: The draft of the review paper underwent meticulous review and revision for clarity, coherence, and accuracy. Feedback from co-authors, supervisors, or experts in the field was incorporated to enhance the overall quality and impact of the review.

Results and DISCUSSIONS

Nuclear Medicine, a multidisciplinary imaging technique, seamlessly integrates principles from Medicine, Engineering, Physics, Chemistry, and Mathematics. Its extensive development has led to widespread applications across various medical domains, including Neurology, Cardiology, Orthopedics, Oncology, and

beyond. Central to this field are radiopharmaceuticals, predominantly featuring medical radioisotopes that are labeled or bound to specific biological molecules, known as Radio-Pharmaceuticals. Administered in trace amounts, these entities, also termed Tracers, play a pivotal role in molecular and cellular imaging, thereby facilitating early disease diagnosis, treatment, and prevention [7, 8].

The historical roots of Nuclear Medicine trace back to the aftermath of the Second World War in the 1940s. A significant milestone in its evolution occurred in 1964 with the introduction of I-131 for treating thyroid disease, followed by I-131 thyroid imaging. However, the true catalyst for the field's remarkable growth was the discovery of ^{99m}Tc technetium in 1937 and the subsequent development of the first commercial ^{99m}Tc generator in 1964 (figure 2.).




Figure 2. Commercial ^{99m}Tc generator

Currently, over 10,000 hospitals globally employ radioisotopes in medical practices, with approximately 90% of procedures dedicated to diagnostic purposes. Notably, about 35 million *in-vivo* procedures are conducted annually worldwide, with developed countries accounting for a significant share[9, 10, 11].

Radioisotope Production Methods: A Paradigm Shift

The initial attempts at radioisotope production took place in the expansive gas diffusion plant at Oak Ridge, Tennessee. However, this method, reliant on natural isotopes and proving to be economically impractical, fell short of meeting the evolving needs of the field. A more dynamic approach emerged as an alternative, focusing on inducing radioactivity in light elements through the supply of excess energy [12, 13].

This energy induction can be achieved by exposing elements to various stimuli, such as neutrons in a nuclear reactor or charged particles like protons, deuterons, or alpha particles in a cyclotron (figure 3.)




Figure 3. Neutron bombardment of ^{235}U in order to induce radioactive decay

Unlike the early gas diffusion plant method, these techniques offer a more versatile and efficient means of producing radioisotopes. Notably, in a nuclear reactor, appropriate target materials exposed to neutrons initiate nuclear reactions, resulting in the production of neutron-rich radioisotopes. Conversely, cyclotrons, conceptualized by Lawrence and Livingston in 1932, accelerate charged particles like protons, deuterons, and alpha particles to high energy levels. These accelerated particles are then directed to impinge on target materials, yielding neutron-depleted or proton-rich radioisotopes [14, 15].

This paradigm shift in radioisotope production methods marks a significant advancement in the field, enabling a more

controlled and diverse range of isotopes to be generated. These sophisticated approaches offer enhanced capabilities in research, diagnostics, and therapeutic applications, fostering a new era of possibilities in nuclear medicine and related disciplines [16, 17].

Radioisotopes in Healthcare

Isotopes, elements sharing the same atomic number but differing in atomic masses due to varying neutron numbers, form the basis for the creation of radioisotopes. These elements, inherently unstable, undergo decay, emitting alpha (α), beta (β), beta plus (positron), and gamma-rays, earning them the designation of radioisotopes. Commonly known as radionuclides, these isotopes find extensive applications, particularly in healthcare, where they are referred to as radiopharmaceuticals [18, 19].

Although approximately 1800 isotopes exist, only around 200 are currently in use, with most being artificially manufactured. The primary methods for radioisotope production include nuclear reactors and cyclotrons. Notable radionuclides employed in liquid form include Technetium-99m, iodine-123, iodine-131, gallium-67, and thallium-201, while gaseous/aerosol forms often involve xenon-133, krypton-81m, technetium-99m, and diethylene-triamine-pentaacetate (DTPA). In the realm of maxillofacial pathologies, specific radioisotopes play pivotal roles. Technetium-99m, for instance, proves valuable in detecting tumors of salivary glands, while Gallium-67 is instrumental in identifying osteomyelitis in the jaws. Additionally, ^{18}F Fluorodeoxyglucose (FDG) stands out for its utility in diagnosing malignant tumors within the maxillofacial region [20, 21].

This succinct overview underscores the

critical role of radioisotopes, especially in the context of healthcare, where their diverse applications contribute significantly to the diagnosis and treatment of various medical conditions, including those affecting the maxillofacial region [22].

Applications of Nuclear Medicine in Dentistry


The integration of nuclear medicine and radioactive tracers in dental research presents a valuable avenue, allowing for the precise measurement and differentiation of trace amounts of radioactive materials within teeth. This utilization of radiopharmaceuticals, marked by radioactive decay, facilitates the study of metabolic activities associated with bones and teeth, offering diverse applications in dentistry and dental research [23].

Key applications encompass:

1. **Mineralization and Calcification Disorders:** Nuclear medicine assists in investigating conditions related to mineralization and calcification, providing insights into disorders affecting dental structures [24].
2. **Enamel Hypoplasia Secondary to Dental Fluorosis:** The technique proves valuable in studying enamel hypoplasia secondary to dental fluorosis, enabling a deeper understanding of this dental condition [25].
3. **Periodontal Diseases in Periodontics:** Nuclear medicine plays a role in periodontics by aiding in the diagnosis and understanding of various periodontal diseases [26].
4. **Caries and Dental Material Microleakage Studies in Conservative & Endodontics:** Applications extend to conservative dentistry and endodontics, particularly in the study of caries, protection methods, and microleakage of dental materials [27].
5. **Nutritional and Endocrine Effects on Root Resorption:** The impact of nutritional and endocrine factors on root resorption and related disturbances can be investigated using nuclear medicine techniques [28].
6. **Age Determination through Nuclear Tests:** Nuclear tests contribute to age determination, offering a non-invasive method for assessing the chronological age of individuals [29].
7. **Scintigraphy for Implant Evaluation and Bone Activity:** Scintigraphy is employed for evaluating osteoblastic activity around implants and bone scintigraphy, providing valuable information in implant dentistry [30].
8. **Indication of Active Alveolar Bone Loss:** Nuclear medicine serves as an indicator for active alveolar bone loss, aiding in the early detection and management of periodontal conditions [31].
9. **Diagnosis of Various TMJ Diseases:** Various temporomandibular joint (TMJ) diseases can be diagnosed using nuclear medicine techniques, enhancing the understanding and management of these conditions [32].

Benefits vs. Risks in Nuclear Medicine: Striking a Balance

In nuclear imaging procedures, the



radiation exposure is comparable to that of a diagnostic X-ray, ensuring that the amount received during typical treatment procedures remains within safe limits. The judicious administration of radiopharmaceuticals is tailored to obtain the required information before their decay, emphasizing the safety of the process. The minimal amount given ensures patient well-being, causing no distress, and any excess is naturally excreted, leaving no trace of the test [33].

Recent Advancements in Nuclear Medicine: A Journey of Evolution

Since its inception in the 1930s, Nuclear Medicine has undergone significant evolution. The transition from Rectilinear scanners to Gamma cameras marked a crucial phase, followed by the development of single and multiheaded cameras, enabling dynamic count versus time studies. Further progress led to the advent of 3-dimensional imaging, establishing more precise and sophisticated techniques, including PET, PET/CT, SPECT, SPECT/CT, and mmR Biograph [34, 35].

Cutting-Edge Therapies: Radioimmunotherapy (RIT) and Pretargeted RIT (PRIT)

Radioimmunotherapy (RIT), an advanced oncological therapy within the realm of nuclear medicine, combines radiation therapy with immunotherapy, utilizing monoclonal antibodies paired with a radiotracer. A notable recent advancement, Pretargeted RIT (PRIT), has emerged as a highly promising technique. Studies by Atworthy et al. showcased that PRIT yielded localized radiation to a tumor, rivaling the efficacy of directly radiolabeled antibodies [36, 37].

This dynamic landscape underscores the continuous advancements in Nuclear Medicine, offering not only refined diagnostic capabilities but also innovative

and effective therapeutic modalities. The exploration of cutting-edge techniques like PRIT signifies the field's commitment to enhancing precision, efficacy, and safety in medical applications (figure 4.). As nuclear medicine continues to evolve, its potential to revolutionize diagnostic and therapeutic approaches in dentistry and beyond remains a focal point of research and development [38, 39].

Figure 4. Radioimmunotherapy, monoclonal antibodies paired with a radiotracer

CONCLUSIONS

Personalized Medicine Gateway: Nuclear medicine is steering dentistry towards personalized medicine, providing a platform for early and precise diagnosis, optimizing treatment strategies, and elevating patient care standards.

Minimal Risks, Maximum Benefits: With minimal radiation risks and rare allergic side effects, the benefits-to-risk ratio of nuclear medicine is exceptionally favorable. Its safety, painlessness, non-invasiveness, and cost-effectiveness make it a transformative tool in healthcare [40].

Advancements Paving the Way: Recent breakthroughs in cell replacement therapy, gene therapy, radioimmunotherapy, Pretargeted RIT (PRIT), and Fusion Imaging underscore the significance of tracking radiopharmaceuticals' biodistribution. Developing novel radiotracers and hybrid imaging systems that integrate anatomical and physiological imaging is crucial for advancing the field.

Balancing the Two-Edged Sword: Recognizing radiation as a double-edged weapon, it is imperative to exercise utmost caution in its use. Nuclear medicine imaging, being non-invasive, demands responsible and judicious application to ensure optimal patient outcomes.

Early Detection in Head and Neck Pathologies: Nuclear medicine imaging emerges as a non-invasive modality with high sensitivity and specificity for detecting various pathologies in the head and neck region. Its ability to capture abnormal biochemical processes, even in the absence of anatomical changes, serves as an early marker for disease, enhancing diagnostic capabilities [41].

Empowering Dental Professionals: Dental professionals must harness the potential of nuclear medicine imaging, staying informed about its principles. This proficiency ensures their ability to interpret

and discuss the advantages and disadvantages associated with this functional imaging modality, contributing to comprehensive patient care.

In conclusion, nuclear medicine stands as a transformative force in dentistry, offering a paradigm shift towards personalized and prophetic diagnostics. Its evolving techniques and applications underscore the importance of ongoing education for dental professionals, ensuring they leverage the full potential of this dynamic imaging modality in enhancing patient outcomes [42].

REFERENCES

1. Federici, G.; Bachmann, C.; Barucca, L.; Baylard, C.; Biel, W.; Boccaccini, L.V.; Bustreo, C.; Ciattaglia, S.; Cismondi, F.; Corato, V.; et al. Overview of the DEMO staged design approach in Europe. *Nucl. Fusion* 2019, 59, 066013.
2. Nawar, M.F.; Türler, A. New strategies for a sustainable ^{99m}Tc supply to meet increasing medical demands: Promising solutions for current problems. *Front. Chem.* 2022, 10, 926258..
3. National Research Council. Medical Isotope Production without Highly Enriched Uranium; *The National Academies Press: Washington, DC, USA*, 2009.
4. Finger, P.T.; Lu, D.; Buffa, A.; Deblasio, D.; Bosworth, J.L. Palladium-103 versus Iodine-125 for ophthalmic plaque radiotherapy. *Int. J. Radiat. Oncol. Biol. Phys.* 1993, 27, 849–854.
5. Kim, Y.-C.; Kim, Y.-H.; Uhm, S.-H.; Seo, Y.S.; Park, E.-K.; Oh, S.-Y.; Jeong, E.; Lee, S.; Choe, J.-G. Radiation Safety Issues in Y-90 Microsphere Selective Hepatic Radioembolization Therapy: Possible Radiation Exposure from the Patients. *Nucl. Med. Mol. Imaging* 2010, 44, 252–260.
6. Taylor, D.W. Economic and Clinical Net Benefits from the Use of Samarium Sm-153 Lexidronam Injection in the Treatment of Bone Metastases. *Int. J. Tumor Ther.* 2013, 2, 10–17.
7. Gliss, C.; Ciattaglia, S.; Korn, W.; Moscato, I. Initial layout of DEMO buildings and configuration of the main plant systems. *Fus. Eng. Des.* 2018, 136 Pt A, 534–539.
8. Fausser, C.; Puma, A.L.; Gabriel, F.; Villari, R. Tokamak D-T neutron source models for different plasma physics confinement modes. *Fusion Eng. Des.* 2012, 87, 787–792.
9. Pfister DG, Ang KK, Brizel DM, Burtneiss BA, Busse PM, Caudell JJ. Head and neck cancers, version 2.2013. Featured updates to the NCCN guidelines. *J Natl Compr Canc Netw* 2013;11:917-23
10. Kelly, J. R.. Dental ceramics: What is this stuff anyway? *The Journal of the American Dental Association*, 2008, 139, S4–S7.
11. Stefanache, A., Lungu, I. I., Butnariu, I. A., Calin, G., Gutu, C., Marcu, C., ... & Damir, D. Understanding how minerals contribute to optimal immune function. *Journal of Immunology Research*, 2023.
12. Starovoitova, V. N., Tchelidze, L., & Wells, D. P.. Production of medical radioisotopes with linear accelerators. *Applied Radiation and Isotopes*, 2014, 85, 39-44.
13. Herran, Néstor, and Sebastian Greismühl. The First Nuclear Industry: Radioisotopes, State and Society. *Diss. CNRS; UPMC; EHESS*, 2017.
14. Creager, Angela NH. Life atomic: A history of radioisotopes in science and medicine. *University of Chicago Press*, 2019.
15. L'Annunziata, Michael F. Radioactivity: introduction and history, from the quantum to quarks.

Elsevier, 2016.

16. Mushtaq, A. Producing radioisotopes in power reactors. *Journal of Radioanalytical and Nuclear Chemistry*, 2012, 292(2), 793-802.
17. Mayerhoefer, M. E., Materka, A., Langa, G., Häggström, I., Szczypiński, P., Gibbs, P., & Cook, G.. Introduction to radiomics. *Journal of Nuclear Medicine*, 2020, 61(4), 488-495.
18. Tanihata, Isao, Herve Savajols, and Rituparna Kanungo. "Recent experimental progress in nuclear halo structure studies." *Progress in Particle and Nuclear Physics* 68 2013: 215-313.
19. González-Alonso, Martin, Oscar Naviliat-Cuncic, and Nathal Severijns. "New physics searches in nuclear and neutron β decay." *Progress in Particle and Nuclear Physics* 104 2019: 165-223.
20. Creager, Angela NH. "Atomic tracings: Radioisotopes in biology and medicine." 2014.
21. Youssef, George, et al. "The use of 18F-FDG PET in the diagnosis of cardiac sarcoidosis: a systematic review and metaanalysis including the Ontario experience." *Journal of nuclear medicine* 53.2 2012: 241-248.
22. Eekhoff, E. Marelise W., et al. "Flare-up after maxillofacial surgery in a patient with fibrodysplasia ossificans progressiva: an [18F]-NaF PET/CT study and a systematic review." *JBM plus* 2.1 2018: 55-58.
23. Mettler Jr, F. A., Mahesh, M., Bhargavan-Chatfield, M., Chambers, C. E., Elee, J. G., Frush, D. P., ... & Vetter, R. J.. Patient exposure from radiologic and nuclear medicine procedures in the United States: procedure volume and effective dose for the period 2006–2016. *Radiology*, 2020, 295(2), 418-427.
24. Buch, S. A., Babu, S. G., Castelino, R. L., Rao, S., Madiyal, A., & Bhat, S.. Nuclear imaging in the field of dentistry: A review 2017.
25. Idiculla, J. J., Brave, V. R., Puranik, R. S., & Vanaki, S.. Enamel hypoplasia and its correlation with dental caries in school children of Bagalkot, Karnataka. *J Oral Health Community Dent*, 2011 5, 31-6.
26. Zamora-Perez, A. L., Ortiz-García, Y. M., Lazalde-Ramos, B. P., Guerrero-Velázquez, C., Gómez-Meda, B. C., Ramírez-Aguilar, M. Á., & Zúñiga-González, G. M.. Increased micronuclei and nuclear abnormalities in buccal mucosa and oxidative damage in saliva from patients with chronic and aggressive periodontal diseases. *Journal of Periodontal Research*, 2015, 50(1), 28-36.
27. Rath, S. D., Nikhade, P., Chandak, M., Motwani, N., Rath, C., & Chandak, M.. Microleakage in composite resin restoration-a review article. *J. Evol. Med. Dent. Sci*, 2020, 9, 1006-1011.
28. Sameshima, G. T., & Iglesias-Linares, A.. Orthodontic root resorption. *Journal of the World Federation of Orthodontists*, 2021, 10(4), 135-143.
29. Panchbhai, A. S.. Dental radiographic indicators, a key to age estimation. *Dentomaxillofacial Radiology*, 2011, 40(4), 199-212.
30. Stefanache, A., Lungu, I. I., Cernei, R. E., & Diana, O. (2023). ZINC-BASED DENTAL CEMENTS: PROPERTIES, APPLICATIONS, AND ADVANCEMENTS. *Romanian Journal of Oral Rehabilitation*, 15(3).
31. Kinney, J. S., Ramseier, C. A., & Giannobile, W. V.. Oral fluid-based biomarkers of alveolar bone loss in periodontitis. *Annals of the New York academy of sciences*, 2007, 1098(1), 230-251.
32. Manfredini, D., Segù, M., Arveda, N., Lombardo, L., Siciliani, G., Rossi, A., & Guarda-Nardini, L.. Temporomandibular
33. joint disorders in patients with different facial morphology. A systematic review of the literature. *Journal of Oral and Maxillofacial Surgery*, 2016, 74(1), 29-46.
34. Brenner, D. J., & Hricak, H.. Radiation exposure from medical imaging: time to regulate?. *Jama*, 2010, 304(2), 208-209.
35. Ziessman, H. A., O'Malley, J. P., & Thrall, J. H.. Nuclear medicine: the requisites e-book. *Elsevier Health Sciences* 2013.
36. Pichler, B. J., Kolb, A., Nägele, T., & Schlemmer, H. P.. PET/MRI: paving the way for the next generation of clinical multimodality imaging applications. *Journal of Nuclear Medicine*, 2010, 51(3), 333-336.
37. Membreno, R., Cook, B. E., & Zeglis, B. M.. Pretargeted radioimmunotherapy based on the inverse electron demand diels-alder reaction. *JoVE Journal of Visualized Experiments*, 2019 (143), e59041.

38. Ning, W. J., Liu, X., Zeng, H. Y., An, Z. Q., Luo, W. X., & Xia, N. S.. Recent progress in antibody-based therapeutics for triple-negative breast cancer. *Expert Opinion on Drug Delivery*, 2022, 19(7), 815-832.
39. Butterfield, L. H., Kaufman, H. L., & Marincola, F. M. (Eds.). Cancer immunotherapy principles and practice. *Springer Publishing Company* 2021.
40. Harsini, S., Alavi, A., & Rezaei, N. 2022. Introduction on Nuclear Medicine and Immunology. *Nuclear Medicine and Immunology*, 1-13.
41. Mettler Jr, F. A., & Guiberteau, M. J.. Essentials of nuclear medicine imaging: expert consult-online and print. *Elsevier Health Sciences* 2012.
42. Gotthardt, M., Bleeker-Rovers, C. P., Boerman, O. C., & Oyen, W. J.. Imaging of inflammation by PET, conventional scintigraphy, and other imaging techniques. *Journal of Nuclear Medicine*, 2010, 51(12), 1937-1949.
43. Paulus, D. H., Quick, H. H., Geppert, C., Fenchel, M., Zhan, Y., Hermosillo, G., ... & Koesters, T.. Whole-body PET/MR imaging: quantitative evaluation of a novel model-based MR attenuation correction method including bone. *Journal of Nuclear Medicine*, 2015, 56(7), 1061-1066.